



GLOBAL DIESEL

Fuel Injection Systems





www.global-diesel.com

2022

GLOBAL DIESEL®

Fuel Injection Systems

We have founded in 1986 as Cimbar Diesel Pump Injector Repair Service. We have decided to start to produce diesel fuel injection system spare parts in additional to repair service after serving many years. In this context, we produced more than 60 type of diesel pump elements by making serious investments in 2004. We have changed our company identity completely in 2015 and got Global Diesel name. We only serve as a spare parts manufacturer of diesel fuel injection systems. Besides that we produce special tools that are unique in the world so that services can repair pumps and injectors easily.

Quality is before anything else for us. If you compromise on quality, you will neither enjoy your work nor your customers will be satisfied. In this context, our understanding of quality brings us customer satisfaction. We follow the latest technology in order not to compromise on quality. And we integrate it into our facilities at full speed.

Thanks to quality in the products we produce, we succeeded to enter almost every diesel services in Turkey. In recent years, we export most of our production. Global Diesel brand is known worldwide from Peru to Australia. Global Diesel brand announces own name every day and expands its reached service group.

CATERPILLAR

C13 - C15 - C16 - C18 - C27 - C32 - 3406E 3500B - 3508B - 3512B - 3516B - 3516E C10 - C12 - 317C - 3196







Caterpillar C10 EUI Valve

Global Diesel Code: 062 C10

Caterpillar C15 EUI Valve

Global Diesel Code: 062 C15

VOLVO References of Suitable Injectors BEBE4B12004

154909 - 3155040 - 8112557



Volvo EUI ValveGlobal Diesel Code: 022 486
7135-486





Volvo EUI Actuator Spacer Global Diesel Code: 022 486S

7135-486



EUI/EUP (PDE/PLD) Valve Global Diesel Code: 012 00B



EUI (PDE) Valve (Suitable for Scania, Iveco, Volvo)
Global Diesel Code: 012 00S



EUP Valve (Suitable for Mack, MTU) Global Diesel Code: 012 00M



EUI Valve (Suitable for Detroit S50/S60) Global Diesel Code: 052 00D



EUP Adjustable Plug Global Diesel Code: 012 AAP



EUI Adjustable Plug Global Diesel Code: 012 SAP



EUP Plug (Suitable for Mack)Global Diesel Code: 012 MP

9,50 - 9,51 - 9,52 - 9,54 - 9,56 - 9,58 - 9,60



EUP Roller (Suitable for Axor) Global Diesel Code: 012 402 F 00H N37 402



EUP Roller (Suitable for Atego, Actros)
Global Diesel Code: 012 628
F 00H N37 628

012 00B	-0,01	+0,01	+0,03	+0,06	+0,09	+0,12		
Ø6,997	¤	✓	✓					
Ø7,000	¤	✓	✓	✓				
Ø7,005		✓	✓	✓				
Ø7,010		✓	✓	✓	✓	¤		
Ø7,015	п	✓	✓	✓	✓	п		
Ø7,020			✓	✓	✓	п		治
Ø7,025			✓	✓	✓	п		
Ø7,030			✓	✓	✓	Ħ		INI INI
Ø7,035			¤	✓	✓	¤	810	静
Ø7,040			n	✓	✓	¤	- 111	
Ø7,045			¤	✓	✓	¤	1	11 11
Ø7,050			¤	✓	✓	п	-	010 010
Ø7,055				✓			3.00	
Ø7,060			¤	✓				
Ø7,065				✓				
Ø7,070			¤	✓				
Ø7,075				✓				
Ø7,080			Ħ	✓				
Ø7,085				✓				
Ø7,090				✓				
012 00S	+0,01	+0,03	+0,06	012 00M	+0,01	+0,03	+0,06	
Ø6,997	✓	✓		Ø6,997		✓		
Ø7,000	✓	✓		Ø7,000	✓	✓		ff)
Ø7,005	✓	✓		Ø7,005	✓	✓		III m
Ø7,010	✓	✓		Ø7,010	✓	✓		
Ø7,015	✓	✓	✓	Ø7,015		✓	✓	
Ø7,020	✓	✓	✓	Ø7,020		✓	✓	
Ø7,025	✓	✓	✓	Ø7,025		✓	✓	415
Ø7,030		✓	✓	Ø7,030		✓	✓	413
Ø7,035		√	√	Ø7,035		√	√	410
Ø7,040		✓	✓	Ø7,040		✓	✓	
052 00D	+0,01	+0,03	+0,06			•		
Ø6,980	✓	√				10		
Ø6,985	✓	√						
Ø6,990	√	√			3			u u u
Ø6,995	✓	√			•			
Ø7,000	✓	✓				H		
Ø7,005		√	√		10 M	GD		JE JE JE
Ø7,010		✓	✓		60			an an an
Ø7,015		√ /	√	-	00			
Ø7,020		√ /	√					
Ø7,025		√ va evailable	✓				w availability i	

✓: always available in stock

Columns define diameter **Rows** define lip thickness

x: ask for availability in stock

* Lip thickness is a compensation of abrasion which occurs from angled surface correction.



Actuator Valve Needle Global Diesel Code: 072 240



Actuator Valve Needle Sets

Economic Set (2 pieces for each size, 64 pieces total)
Global Diesel Code: 072 240-E

Standard Set (4 pieces for each size, 128 pieces total)
Global Diesel Code: 072 240-S

Advanced Set (8 pieces for each size, 256 pieces total)
Global Diesel Code: 072 240-A



Actuator Valve Nut Global Diesel Code: 072 240N



Actuator Valve Nut Set (4 pieces for each size, 40 pieces total) Global Diesel Code: 072 240N-S



Actuator Plug Global Diesel Code: 072 240P



Actuator Disk Global Diesel Code: 072 240D



Actuator Disk Set
Global Diesel Code: 072 240D-S



Actuator Valve Large Nut and Disk Set

Global Diesel Code: 072 240L-ND-S





072 240	1,38	1,40	1,42	1,44	1,46	1,48	1,50	1,52
Ø5,005	✓	✓	✓	✓	✓	✓	✓	✓
Ø5,010	✓	✓	✓	✓	✓	✓	✓	✓
Ø5,015	✓	✓	✓	✓	✓	✓	✓	✓
Ø5,020	✓	✓	✓	✓	✓	✓	√	✓

✓: always available in stock

Columns define diameter **Rows** define wall thickness

072 240D
1,96
1,97
1,98
1,99
2,00
2,01
2,02
2,03
2,04
2,05
2,06
2,07
2,08
2,09
2,10









072 240N
8,60
8,61
8,62
8,63
8,64
8,65
8,66
8,67
8,68
8,69
8,70
8,71
8,72
8,73
8,74

2.06	2.07	2.08	2.09	2.10
8.70	8.71	8.72	8.73	8.74
92	Po	1		
-				
99	. 9	-	0	00







CP1 Pump PlungerGlobal Diesel Code: 013 101 349 F 01M 101 349

Suitable Pumps for	· CP1 Pump Plunger
Pump N	<u>lumbers</u>
0 445 010 006	0 445 010 046
0 445 010 007	0 445 010 050
0 445 010 008	0 445 010 071
0 445 010 010	0 445 010 072
0 445 010 011	0 445 010 132
0 445 010 013	0 445 010 138
0 445 010 018	0 445 010 162
0 445 010 019	0 445 010 163
0 445 010 021	0 445 010 178
0 445 010 024	0 445 010 201
0 445 010 027	0 445 010 203
0 445 010 028	0 445 010 253
0 445 010 030	0 445 010 267
0 445 010 038	0 445 020 002

Motorized Unit Pump/Injector Repair Kit



We have designed this kit for technically correct repairing of pumps/injectors and to provide the fastest process. Thus, we have presented the best solution to the diesel services. Diesel services save a lot of time due to this kit. There is a video about using of this kit on QR-Code. Using is quite easy and simple as shown in video.





Hole correction tool diameter changes by movement of screws on tool. Don't need to hit to change the diameter. In this case, tool surface remains intact and tool life would be more.



There are three types of **angled surface correction** tools which are *coarse* (single circle), *medium* (double circle), *finish* (triple circle). You can choose it according to abrasion. When you use these tools (hole and angled surface correction tools), the angle and hole will have common axis. The shape will be a perfect "Y". Because, the angle doesn't move and grow so that the angle is totally constant, you can understand that this tool life span is longer than traditional lapping tools. Only the diameter is changable.



After correction the angled surface, we grind the valve from the length so as to counteract the approach of the valve coil. We don't make any process to magnectic plate or any other to anywhere for adjusting. Because, If you make any process to anywhere for adjusting to gap between valve and coil, excluding valve length, the pump/injector will be disrupt. Pump/Injector will not work like the old. We just grind to length of valve by using **grinder**.

There are lots of health check tools are designed with **Motorized Repair Kit** for Unit Pump/Injector Systems









Motorized System

Global Diesel Code: 012 MS

Motorized EUI/EUP Repair Kit Motorized System Attachment Motorized System Attachment for EUI

Global Diesel Code: 012 MSA


for Detroit EUI

Global Diesel Code: 052 MSA



Angled Surface Correction Tool

Global Diesel Codes 012 C-ASC (Coarse) [Ø6,995-Ø7,045] 012 M-ASC (Medium) [Ø6,995-Ø7,045] 012 F-ASC (Finish) [Ø6,995-Ø7,045] 012 L-C-ASC (Coarse) [Ø7,045-Ø7,090] 012 L-M-ASC (Medium) [Ø7,045-Ø7,090] 012 L-F-ASC (Finish) [Ø7,045-Ø7,090]



Triple Circle is Finish



Angled Surface Correction Tool for Detroit EUI

Global Diesel Codes 052 M-ASC (Medium) 052 F-ASC (Finish)



Hole Correction Tool Global Diesel Code: 012 HC





Grinder Global Diesel Code: 012 G

Grinder Attachment for EUI

Global Diesel Code: 012 GAI

EUP Plug Measuring Tool Global Diesel Code: 012 APM



EUI Plug Measuring ToolGlobal Diesel Code: 012 SPM



EUI Nozzle Control ToolGlobal Diesel Code: 012 SNC



Control Tool

EUP Element Leakage

Global Diesel Code: 012 ELC



Plate Side Measuring Tool

Global Diesel Codes
012 PSM
012 PSM-I (with Dial Indicator)



Angled Surface Correction Tool Wrench

Global Diesel Code: 012 ASW



Hole Correction Tool Bolt

Global Diesel Code: 012 HCB





Nozzle, Valve and Element Control Kit for EUI

Global Diesel Code: 012 GC



Nozzle, Valve and Element Control Kit for Detroit EUI

Global Diesel Code: 052 GC

Motorized Unit Pump/Injector Repair Kit





		Motori	ized EUI/EUP Rep	Motorized EUI/EUP Repair Kit Contents List	st			
Product Name	Product Code	<u>Economic</u>	<u>Standard</u>	<u>Advanced</u>	<u>Detroit Economic</u>	<u>Detroit Standard</u>	<u>Detroit Advanced</u>	The Most Advanced
Motorized System	012 MS	~	~	~	✓	~	~	~
Motorized System Attachment for EUI	012 MSA	~	✓	~	✓	~	~	~
Motorized System Attachment for Detroit EUI	052 MSA				✓	~	V	~
Angled Surface Correction Tool (Coarse) [Ø6,995-Ø7,045]	012 C-ASC	~	✓	~	✓	~	~	~
Angled Surface Correction Tool (Medium) [Ø6,995-Ø7,045]	012 M-ASC	~	✓	~	✓	V	V	~
Angled Surface Correction Tool (Finish) [Ø6,995-Ø7,045]	012 F-ASC	~	✓	~	✓	~	~	~
Large Angled Surface Correction Tool (Coarse)[Ø7,045-Ø7,090]	012 L-C-ASC			~			V	~
L. Angled Surface Correction Tool (Medium) [Ø7,045-Ø7,090]	012 L-M-ASC			~			V	~
Large Angled Surface Correction Tool (Finish) [Ø7,045-Ø7,090]	012 L-F-ASC			~			V	~
Angled Surface Correction Tool for Detroit EUI (Medium)	052 M-ASC				✓	¥	V	~
Angled Surface Correction Tool for Detroit EUI (Finish)	052 F-ASC				✓	~	~	~
Hole Correction Tool	012 HC	√ [1 Pieces]	√ [3 Pieces]	✓ [3 Pieces]	√ [1 Piece]	✓ [3 Pieces]	✓ [3 Pieces]	✓ [3 Pieces]
Grinder	012 G		V	~		V	√	<
Grinder Attachment for EUI	012 GAI		<	<		~	~	<
EUP Plug Measuring Tool	012 APM	<	<	<	<	\ \	~	<
EUI Plug Measuring Tool	012 SPM	<	<	<	<	~	~	<
EUI Nozzle Control Tool	012 SNC	~	✓	~	✓	V	✓ ×	<
EUP Element Leaskage Control Tool	012 ELC	<	V	<	~	~	√	<
Plate Side Measuring Tool	012 PSM	~	✓	~	✓	¥	V	~
Angled Surface Correction Tool Wrench	012 ASW	<	~	<	<	~	~	<
Hole Correction Tool Bolt	012 HCB	<	<	<	<	<	<	<
Nozzle, Valve and Element Control Kit for EUI	012 GC			<				_
Nozzle, Valve and Element Control Kit for Detroit EUI	052 GC						V	<

Special Helical Surface

for High Cutting Performance





Global Diesel Codes of Manual EUI/EUP Repair Tools

012 M-HC: Hole Correction Tool

052 M-HC: Hole Correction Tool for Detroit EUI

012 M-C-ASC: Angled Surface Correction Tool (Coarse) 012 M-F-ASC: Angled Surface Correction Tool (Finish)

052 M-C-ASC: Angled Surface Correction Tool for Detroit EUI (Coarse) 052 M-F-ASC: Angled Surface Correction Tool for Detroit EUI (Finish)

Manual EUI/EUP Repair Kit [S Series]



012 M-HC-S: Hole Correction Tool

052 M-HC-S: Hole Correction Tool for Detroit EUI

012 M-C-ASC-S: Angled Surface Correction Tool (Coarse)

012 M-F-ASC-S: Angled Surface Correction Tool (Finish)

052 M-C-ASC-S: Angled Surface Correction Tool for Detroit EUI (Coarse)

052 M-F-ASC-S: Angled Surface Correction Tool for Detroit EUI (Finish)

Adjustable by Screws

SCANIA (ISX) HPI CUMMINS **ACTUATOR REPAIR KIT**





ALL NEEDS IN ONE KIT ERGONOMIC DESIGN THE BEST SOLUTUION

Special Helical Surface FOR HIGH CUTTING PERFORMANCE



Hole Correction Tool Global Diesel Code: 072 HC



Coil Side Measuring Tool Global Diesel Code: 072 CSM 072 CSM-I (with Dial Indicator)



Plug Assembly Tool Global Diesel Code: 072 PAT



Trigerring Measuring Tool Global Diesel Code: 072 TMT 072 TMT-I (with Dial Indicator)



Needle Assembly Tool Global Diesel Code: 072 NAT



Ford Cargo RampGlobal Diesel Code: 021 354
515354



Ford Cargo Ramp Roller Global Diesel Code: 021 200 508200



Ford Cargo Governor Weight Global Diesel Code: 021 250 513250



Fuel Pump Throttle Shaft BushGlobal Diesel Code: 011 333
1 460 324 333



Head Rotor PlugGlobal Diesel Code: 011 306
1 463 461 306



Timer PistonGlobal Diesel Code: 021 419C
7177-419C



Governor WeightGlobal Diesel Code: 021 914G
7123-914G



Governor WeightGlobal Diesel Code: 021 914E
7123-914E







+90 212 481 84 89



Teknik Oto Sanayi Sitesi 1. Blok No: 2 Cevizlibağ - Topkapı / İSTANBUL

